

ART. 0-ITD4704EST-CR

Miscelatore doccia incasso monocomando 1 via
1-way built-in single-lever shower mixer

Miscelatore doccia monocomando 1 via. Piastra tonda. Con cartuccia tradizionale. Ingressi G 1/2". Comando remoto da parete. Da abbinare a bocca da parete. Finitura standard in cromo.

1 way single lever shower mixer. Round plate. With traditional cartridge. G 1/2" inlets. Wall remote control. To be combined with wall spout. Standard chrome finish.



FINITURE / FINISHES



PARTE INCASSO / CONCEALED PART

W4700

Gruppo incasso per monocomando lavabo o doccia 1 via. Ingressi G 1/2".

Concealed part for single-lever washbasin mixer or 1-way single-control shower mixer. Inlets G 1/2".

RICAMBI / SPARE PARTS



ORIC033 Cartuccia tradizionale Ø35

ORIC033 Traditional cartridge Ø35

ART. 0-ITD4704EST-CR

DISEGNO TECNICO / TECHNICAL DRAWING

Miscelatore doccia incasso moncomando 1 via
1-way built-in single-lever shower mixer



ART. 0-ITD4704EST-CR

Miscelatore doccia incasso moncomando 1 via
1-way built-in single-lever shower mixer

TABELLE DI PORTATA / FLOW RATE TABLES**LEGENDA / LEGEND**

Q1 = portata 1 uscita / *flow rate 1 outlet*
Q2 = portata 2 uscite / *flow rate 2 outlets*
Q3 = portata 3 uscite / *flow rate 3 outlets*
Q4 = portata 4 uscite / *flow rate 4 outlets*
Q5 = portata 5 uscite / *flow rate 5 outlets*
Q6 = portata 6 uscite / *flow rate 6 outlets*

Q7 = portata bocca vasca / *bathtub spout flow rate*
Q8 = portata doccia / *shower flow rate*
Q9 = portata uscita libera / *outlet free flow rate*

Q1/2F = portata uscita 1/2" F / *flow rate outlet 1/2" F*
Q3/4F = portata uscita 3/4" F / *flow rate outlet 3/4" F*

p (bar)	0,5	1	2	3	4	5
Q1 (l-min)	15	17	21	25	29	31